
No.



9000171

THE UNITED STATES OF AMERICA

TO AUL TO WHOM THESE PRESENTS SHAM COME: University of Illinois

Colhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen Years from the date of this grant, subject to the payment of the required free and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to expect of the variety in a public repository as provided by LAW, the right to expect of the variety in a public repository as provided by LAW, the right to expect of the variety in a public repository as provided by the right or different to therefore, to the extent provided by the Plant Variety Protection Act. In the States seed of this variety (1) shall be sold by variety name only as of certified seed and (2) shall conform to the number of generations the owner of the rights. (84 stat. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'Jack'

In Lestimony Witnexeot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of January in

this 31st day of January in the year of our Lord one thousand nine hundred and ninety-two.

Allest

Lenneth Garans bommissioner

Stant Variety Protection Office Agricultural Marketing Service IWAND MADGEN Secretary of Agriculture Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRN, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARKI	AGRICULTURE ETING SERVICE	10101		opplication is required in order to
APPLICATION FOR PLANT VARIETY (Instructions on	ce In:	certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNA	TION OR 3.	VARIETY NAME
University of Illinois		LN83-3824-1		Jack
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) Illinois Agricultural Experiment St 1301 W. Gregory 211 Mumford	ation	5. PHONE (Include area of 217-333-0240	· · · -	FOR OFFICIAL USE ONLY PO NUMBER 9000171
University of Illinois Urbana, IL 61801			F	Date
			i i	May 14, 1990
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botania	cal)		Time /
Glycine max (L.) Merr.	Leguminosae			
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F 6	・ つくごか
Soybeans	Au	gust 1, 1989	S .	;
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	NIZATION (Corporation, part	tnership, association, etc.)	F	14.1990
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12 DA	ATE OF INCORPORATION	E	\$ 2.57)
	12. 57	TIE OF INCORPORATION	Į v	Dage
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO				Dec. 20, 1991
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (For a. Exhibit A, Origin and Breeding History of the Variety. b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. Exhibit E, Statement of the Basis of Applicant's Owners! f. Seed Sample (2,500 viable untreated seeds). Date Seed. g. Filing and Examination Fee (\$2,150) made payable to " 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.) 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? X yes	nip. If Sample mailed to Plant \ Treasurer of the United St DLD BY VARIETY NAME ONLY Plow)	Variety Protection Office _ ates." Y AS A CLASS OF CERTIFIED (O," skip to item 18 below) D ITEM 16, WHICH CLASSES	SEED? (See sec	N BEYOND BREEDER SEED?
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M	MARKETED IN THE U.S. OR C	OTHER COUNTRIES?		
YES (If "YES," give names of countries and dates)		:		
20. The applicant(s) declare(s) that a viable sample of basic se request in accordance with such regulations as may be app. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation here.	licable. sexually reproduced i ed to protection under th	novel plant variety, an ne provisions of section	d believe(s) t 42 of the Plan	that the variety is distinct,
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR T	Tor, AES		May 1, 1990
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	IILE		DATE

'Jack'

14a. Exhibit A:

Pedigree: Fayette x Hardin

Jack originated as an F_3 plant selection at the Illinois Agricultural Experiment Station from the cross of Fayette x Hardin. The F_2 generation was advanced at the Puerto Rico Agricultural Experiment Station by single-seed descent. Several sublines, selected from the F_3 derived line were composited in the F_{10} generation to produce Jack. Jack was evaluated as LN83-3824 and as subline LN83-3824-1 in Illinois for resistance to the soybean cyst nematode (races 3 and 4) (Heterodera glycines Ichinohe) in the greenhouse in 1983 and agronomic performance during 1984-88. It was evaluated in the SCN Regional Tests-Northern States in 1985-88, and Uniform Soybean Tests-Northern States Preliminary Test III in 1988.

Jack appears stable and uniform through five generations of selfing and during seed increase program for other characteristics.

14b. Exhibit B: Novelty Statement

Jack is most similar to Elgin 87. Jack differs from Elgin 87 in being susceptible to Phytophthora rot (races 1 and 4), resistant to soybean cyst nematode (races 3 and 4), white flower, gray pubescence, and yellow hila while Elgin 87 has the Rps₁^k allele (resistance to races 1-9, 13-15, 17, 18, 21, and 22 of Phytophthora rot), is susceptible to the soybean cyst nematode (races 3 and 4), purple flowers, brown pubescence, and black hila.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SUYBEA	IN (GIYCINE MAX L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
University of Illinois	LN83-3824-1	Jack
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
Illinois Agricultural Experiment Station 1301 W. Gregory		PVPO NUMBER
211 Mumford, University of Illinois, Urba	na, IL 61801	900 01 71
Choose the appropriate response which characterizes the vari in your answer is fewer than the number of boxes provided,	ety in the features described l place a zero in the first box w	pelow. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	0	
2 IL W		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Duil ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 2 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
2 1 = Buff 2 = Yellow 3 = Brown	5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
2 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	·	
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
2 1756 2 (6) 17	<u> </u>	
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	n bronze band below cotyledons ('Coker Hampton 266A')	Woodworth'; 'Tracy')
10. LEAFLET SHAPE:	!	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAFLE	ET SIZE:	the second of th
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF CO	Q1 Q2.	
	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOWER	R COLOR:	
1	1 = White 2 = Purple 3 = White with purple throat	
14. POD COI	LOR:	
2	1 = Tan 2 = Brown 3 = Black	
15. PLANT P	PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	<u> </u>
16. PLANT T	TYPES:	and the second s
	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT H	навіт	
	= Light Green ('Weber'; 'York')	
1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') 2 = Intermediate ('Amcor'; 'Braxton') 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') 18. MATURITY GROUP: 5 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V		
18. MATURI	TY GROUP:	
5 1	1 = 000	8 = V
5 1	1 = 000	8 = V
19. DISEASE	1 = 000	8 = V
19. DISEASE BACTER	1 = 000	8 = V
19. DISEASE BACTEF 0 E	1 = 000	8 = V
19. DISEASE BACTEF 0 E	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
19. DISEASE BACTEF 0 E 0 E	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	8 = V
19. DISEASE BACTEF 0 E 0 E	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
19. DISEASE BACTEF 0 E 0 F 0 V FUNGAL	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	8 = V
19. DISEASE BACTEF 0 E 0 F 19. DISEASE	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) DISEASES:	8 = V
19. DISEASE BACTEF 0 E 0 F 1 E 1 E	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	
19. DISEASE BACTEF 0 E 0 F UNGAL 1 E	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	
19. DISEASE BACTER 0 E 0. V FUNGAL 1 E 0 R	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (S	
19. DISEASE BACTEF 0 E 0. V FUNGAL 1 E 0 F 0 T	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (S	
19. DISEASE BACTEF 0 E 0. V FUNGAL 1 E 0 F 0 T 0 D	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X EREACTION: {Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant} RIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1	

\cap	\sim	\wedge	\wedge	4	\rightarrow	
7	()	U	U	1	7	

19.	DISEAS	SE REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 = F	Resistant) (Continued)	
	FUN	GAL DISEASE	S: (Continued)		
	0	Pod and Stem	Blight (Diaporthe phaseolorum var; sojae)		
	0	Purple Seed S	itain (Cercospora kikuchii)		
	0	Rhizoctonia I	Root Rot (Rhizoctonia solani)		
		Phytophthora	Rot (Phytophthora megasperma var. sojae)		
	1	Race 1	1 Race 2 1 Race 3 1	Race 4 1 Race 5	1 Race 6 1 Race 7
	1	Race 8	1 Race 9 Other (Specify)		
	VIRA	AL DISEASES:			
	0	Bud Blight (T	obacco Ringspot Virus)		
	0	Yellow Mosai	c (Bean Yellow Mosaic Virus)		
٠.	0	Cowpea Mosa	ic (Cowpea Chlorotic Virus)		
	0	Pod Mottle (E	lean Pod Mottle Virus)		
.*	0	Seed Mottle (Soybean Mosaic Virus)		
	NEM	ATODE DISEA	SES:		
		Soybean Cyst	Nematode (Heterodera glycines)		
,	0	Race 1	0 Race 2 2 Race 3 2	Race 4 Other (S	Specify)
ŕ	0	Lance Nemate	ode (Hoplolaimus Colombus)		
	0	Southern Roo	t Knot Nematode (Meloidogyne incognita)		
	0	Northern Roo	t Knot Nematode (Meloidogyne Hapla)		
		Peanut Root I	Knot Nematode <i>(Meloidogyne arenaria)</i>		
	0	Reniform Nen	natode (Rotylenchulus reniformis)		
٠.	H	OTHER DISE	ASE NOT ON FORM (Specify):		_
	<u> </u>				
20. F	HYSIO	LOGICAL RES	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)	
	1	Iron Chlorosis	on Calcareous Soil		
		Other (Specify	·)		
21. I	NSECT	REACTION:	Enter 0 = Not Tested; 1 = Susceptible; 2 = Res	sistant)	
	0	Mexican Bean	Beetle (Epilachna varivestis)	·	
	0	Potato Leaf H	opper (Empoasca fabae)	•	
	0	Other (Specify	<i>)</i>		···
22. I	NDICA	TE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.	
	CHAR	ACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Р	lant Sha	pe	Elgin 87	Seed Coat Luster	Corsoy 79
Ļ	eaf Shap	oe	Elgin 87	Seed Size	Corsoy 79
	eaf Colo		Elgin 87	Seed Shape	Corsoy 79
L	eaf Size		Elgin 87	Seedling Pigmentation	BSR 201

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Jack Submitted	149	2.6	117	7.	14	39.7	21.5	12.1	2.5
Elgin 87 Name of Similar Variety	143	1.8	91	8	10	37.9	21.4	13.2	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



14d. Exhibit D. Additional Description of Variety

Jack is classified as Group II maturity (relative maturity 2.9), averaging 6 days later in maturity than Elgin 87 and 1 day later than CN 290. It is best adapted to approximately 40 to 42° lat. In comparison to Elgin 87, Jack has 3% higher yield, smaller seeds, higher seed protein and lower seed oil. At locations with soybean cyst nematodes, Jack has averaged 45% higher yield than Elgin 87 and 2% higher than CN 290.

14e. Exhibit E. Statement of the Basis of Applicants Ownership

Jack was developed at the University of Illinois, Illinois Agricultural Experiment Station by C. D. Nickell, an employee in the Department of Agronomy.